# SAFETY DATA SHEET

## Fresh Emulsifier

Commission Regulation (EU) No 2015/830 of 28 May 2015. According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Fresh Emulsifier
Product number	7197/22667
1.2 Relevant identified uses of th	ne substance or mixture and uses advised against
Identified uses	Detergent. Cleaning agent.
1.3. Details of the supplier of the	
Supplier	Countrywide Healthcare Countrywide House Springvale Road Park Springs Grimethorpe Barnsley S72 7BA Tel: 01226 719090
1.4. Emergency telephone number	er
National emergency telephone number	NHS Direct 111 (GB) National Poisons Information Service Tel: +44 344 892 0111 (UK) - Medical Professionals Only National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only (24 hour service)
SECTION 2: Hazards identific	cation
2.1. Classification of the substand	ce or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Eye Dam. 1 - H318
Environmental hazards	Not Classified
2.2. Label elements	
Hazard pictograms	
Signal word	Danger
Hazard statements	H318 Causes serious eye damage.
Precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor.
	PEG-5 C13 Oxo Alcohol, PEG-7-C10 Oxo Alcohol
Contains	
Contains Detergent labelling	15 - < 30% non-ionic surfactants, 5 - < 15% aliphatic hydrocarbons, < 5% optical brighteners, < 5% perfumes

SECTION 3: C	omposition/informa	ation on ingredients
--------------	--------------------	----------------------

PEG-5 C13 Oxo Alcohol			15-30%
CAS number: 69011-36-5			
Classification			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
PEG-7-C10 Oxo Alcohol			10-15%
CAC averation (0420.45.2			
CAS number: 68439-45-2	EC number: 614-481-5		
Classification			
Acute Tox. 4 - H302			
Eye Dam. 1 - H318			
MONOPROPYLENE GLYCOL			5-10%
CAS number: 57-55-6	EC number: 200-338-0	REACH registration number: 01-	
		2119456809-23-XXXX	
Classification			
Not Classified			
ETHANOL			3-5%
			0 0 /0
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-	
		2119457610-43-XXXX	
Classification			
Flam. Liq. 2 - H225			
METHANOL			<1%
CAS number: 67-56-1	EC number: 200-659-6		
Classification			
Classification			
Flam. Liq. 2 - H225			
Acute Tox. 3 - H301			
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
STOT SE 1 - H370			

The full text for all hazard statements is displayed in Section 16.

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Non-volatile liquid product.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation

This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion	May cause stomach pain or vomiting.
Skin contact	Skin irritation.
Eye contact	Severe irritation, burning and tearing.
4.3. Indication of any immediate n	nedical attention and special treatment needed
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire.
5.2. Special hazards arising from	the substance or mixture
Specific hazards	Fire or high temperatures create: Vapours/gases/fumes of: Oxides of the following substances: Carbon. No unusual fire or explosion hazards noted.
Hazardous combustion products	Fire or high temperatures create: Oxides of: Carbon.
5.3. Advice for firefighters	
Protective actions during firefighting	If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental release	se measures
6.1. Personal precautions, protect	tive equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
6.3. Methods and material for con	tainment and cleaning up
Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable retaining areas or container with large quantities of water.
6.4. Reference to other sections	
Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. Collect and dispose of spillage as indicated in Section 13.
SECTION 7: Handling and sto	prage
7.1. Precautions for safe handling	
Usage precautions	Avoid spilling. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Avoid contact with skin and eyes.
7.2. Conditions for safe storage, including any incompatibilities	
Storage precautions	Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed.
Storage class	Chemical storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure contro	Is/Personal protection
8.1. Control parameters	
Occupational exposure limits	

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m<sup>3</sup> total vapour and particulates Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> particulate

#### ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

#### METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³ Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Sk

#### WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

#### MONOPROPYLENE GLYCOL (CAS: 57-55-6)

DNEL	Workers - Inhalation; Long term systemic effects: 186 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 10 mg/m <sup>3</sup> General population - Inhalation; Long term systemic effects: 50 mg/m <sup>3</sup> General population - Inhalation; Long term local effects: 10 mg/m <sup>3</sup>
PNEC	- Fresh water; 206 mg/l - marine water; 26 mg/l - Sediment (Freshwater); 572 mg/l - Sediment (Marinewater); 57.2 mg/l - Soil; 50 mg/kg dw - STP; 20000 mg/l

#### 8.2. Exposure controls

Protective equipment



Appropriate engineering controls	No specific ventilation requirements.
Eye/face protection	The following protection should be worn: Chemical splash goggles.
Hand protection	Wear protective gloves made of the following material: Neoprene. Nitrile rubber. Polyethylene. Polyvinyl chloride (PVC).
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Hygiene measures	Do not eat, drink or smoke when using this product.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties Appearance Liquid. Colour Blue-green. Odour Mild (or faint). pH (concentrated solution): 6-8 pН Relative density ~ 0.985 @ 20°C Solubility(ies) Soluble in water. 9.2. Other information Other information Not determined.

## SECTION 10: Stability and reactivity

· · · · · · · · · · · · · · · · · · ·		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous read	tions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid contact with the following materials: Oxidising agents. Reducing agents.	
10.5. Incompatible materials		
Materials to avoid	Strong oxidising agents. Strong reducing agents.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	In case of fire, toxic gases (CO, CO2, NOx) may be formed.	

## SECTION 11: Toxicological information

11.1. Information on toxicological e Acute toxicity - oral	effects	
ATE oral (mg/kg)	4,771.43	
Acute toxicity - dermal ATE dermal (mg/kg)	150,000.0	
Acute toxicity - inhalation ATE inhalation (vapours mg/l)	1,500.0	
Inhalation	This is unlikely to occur but symptoms similar to those of ingestion may develop.	
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.	
Skin contact	Irritating to skin.	
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain.	
Acute and chronic health hazards	Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.	
SECTION 12: Ecological information		
SECTION 12: Ecological inform	nation	
SECTION 12: Ecological inform	nation The levels of environmentally hazardous materials are below the limit that would cause the preparation to be classified as Dangerous to the Environment.	
	The levels of environmentally hazardous materials are below the limit that would cause the preparation to	
Ecotoxicity	The levels of environmentally hazardous materials are below the limit that would cause the preparation to	
Ecotoxicity 12.1. Toxicity	The levels of environmentally hazardous materials are below the limit that would cause the preparation to be classified as Dangerous to the Environment. Not considered toxic to fish.	
Ecotoxicity 12.1. Toxicity Toxicity	The levels of environmentally hazardous materials are below the limit that would cause the preparation to be classified as Dangerous to the Environment. Not considered toxic to fish.	
Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degradabilit	The levels of environmentally hazardous materials are below the limit that would cause the preparation to be classified as Dangerous to the Environment. Not considered toxic to fish. y The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request,	
Ecotoxicity 12.1. Toxicity Toxicity 12.2. Persistence and degradabilit Persistence and degradability	The levels of environmentally hazardous materials are below the limit that would cause the preparation to be classified as Dangerous to the Environment. Not considered toxic to fish. y The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request,	

## Mobility The product is non-volatile.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB	This product does not contain any substances classified as PBT or vPvB.
assessment	

#### 12.6. Other adverse effects

Other adverse effects None known.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal methods

Dispose of in accordance with Local Authority Regulations

EURAL Code

## SECTION 14: Transport information

#### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Transport labels No transport warning sign required.

### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). CHiP The Control of Substances Hazardous to Health Regulations
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Revision comments	Revision is to change emergency telephone number
Revision date	11/02/2019

Revision	4
Supersedes date	12/12/2018
SDS number	7197/22667
Hazard statements in full	<ul> <li>H225 Highly flammable liquid and vapour.</li> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H311 Toxic in contact with skin.</li> <li>H318 Causes serious eye damage.</li> <li>H331 Toxic if inhaled.</li> <li>H370 Causes damage to organs .</li> <li>H412 Harmful to aquatic life with long lasting effects.</li> </ul>