

# SAFETY DATA SHEET

Non-Biological Laundry Powder C2/452

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

1.1 Product Name	Non-Biological Laundry Powder	C2/452		N.
1.2 Other Names	Non-Biological Laundry Powder	C2/452		
SDS No	C2/452	Rev Date:	6 <sup>th</sup> February 2015	Rev No: 1
1.3 Application	Laundry Powder			
1.4 Supplier	Countrywide Healthcare, Countrywide House, Springvale Road, Park Springs, Grimethorpe, Barnsley, South Yorkshire S72 7BA PHONE 01226 719090 FAX 01226 719091			
1.5 Emergency Contact Number	01226 719090 (Office Hours)			~

SECTION 2. HAZARD IDENTIFIC	CATION
Classification (1999/	/45/EEC)
2.1 Classification	Irritant
2.2 Labelling	IRRITANT
Risk Statements	R36/38 – Irritating to eyes and skin
Safety Statements	<ul> <li>S2 – Keep out of reach of children.</li> <li>S24/25 – Avoid contact with skin and eyes.</li> <li>S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>S28 – After contact with skin, wash immediately with plenty of soap suds.</li> </ul>
2.3 Other Hazards	

Classification (EC12	272/2008)
2.1 Signal Word	Danger
2.1 Classification	Physical: Not classified
	Health: Eye Dam. 1 – H318
	Environmental Not classified
Hazard	H318 – Causes serious eye damage
Statements	

g/eye protection/face protection ith water for several minutes. Remove contact lenses if
ar/nhysician

Precautionary Statements	P305+351+338 –IF present and easy to	ctive gloves/protective IN EYES: Rinse continue o do – continue rinsing y call POISON CENTER c	ously with water for se	 ove contact lenses if
2.2 Labelling				
	GHS05			
2.3 Other Hazards	EUH 208 – Contains	s perfume. May produc	e an allergic reaction.	

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2 Mixture					
Product	EC (EINECS No.		CAS-No.	%	
Sodium Carbonate	207-838-8		497-19-8	<20	
Classification (EC 1272/2008)		Classi	fication (67/548/EEC)		
Physical: Not Classified Health: Eye Irrit 2. – H319 Environmental: Not Classified.	ealth: Eye Irrit 2. – H319		Xi; R36		
Product	EC (EINECS No.		CAS-No.	%	
Sodium Metasilicate Pentahydrate	229-912-9		10213-79-3	<5	
Classification (EC 1272/2008)		Classif	fication (67/548/EEC)		
Physical: Met. corr. 1 – H290 Health: Skin Corr. 1B – H314; Eye Dam. 1 – H318; STOT SE 3 – H335 Environmental: Not Classified.		C; R34 Xi; R3			
Product	EC (EINECS No.		CAS-No.	%	
Sodium Percarbonate	239-707-6		15630-89-4	5-10	
Classification (EC 1272/2008)		Classification (67/548/EEC)			
Physical: OX. Sol. 2 – H272 Health: Acute Tox. 4 – H302; Eye Dam. 1 – H318 Environmental: Not Classified.		O; R8 Xn; R22 Xi; R41			
Product	EC (EINECS No.		CAS-No.	%	
Sodium Dodeccyl Benzene Sulphonate	246-680-4		25155-30-0	<3%	
Classification (EC 1272/2008)		Classification (67/548/EEC)			
Physical: Not Classified. Health: Acute Tox. 4 – H302, Eye Dam. 1 – H318, Skin Irrit. 2 – H315 Environmental: Not Classified.		Xn; R2 Xi; R3			
Product	EC (EINECS No.		CAS-No.	%	
Parfum'	rfum' N/a		N/a	0.04	
Classification (EC 1272/2008)		Classification (67/548/EEC)			
Physical: Not Classified. Health: Skin. Sens. 1 – H317 Environmental: Chronic Cat 2 - H411 For the full toxt of the P. physics montioned in this section, see sectio		R43			

For the full text of the R-phrases mentioned in this section, see section 16.

For the full text of the H-statements mentioned in this section, see section 16.

SECTION 4. FIRST-AID MEASURES

FP241

3

4.1 Description of First	Aid Measures
Inhalation	Move exposed person to fresh air. Get medical attention
Ingestion	Get medical advice immediately! Do Not Induce Vomiting! Immediately rinse mouth and drink plenty of water
Skin Contact	Remove contaminated clothing immediately and wash with soap and water. Get medical attention immediately
Eye Contact	Immediately flush with plenty of water for up to 15 minutes. Remove contact lenses if safe and easy to do so, open eyes wide apart. Get medical attention immediately. Continue to rinse.
4.2 Most Important Syr	nptoms and effects, both acute and delayed
General Information	Symptoms described are dependent upon the concentration and exposure time
Inhalation	Possible irritation of throat, nose & airway
Ingestion	Irritation, possible burns to throat mouth and stomach
Skin Contact	Irritation to skin
Eye Contact	Possible serious eye damage
4.3 Indication of immed	liate medical attention and special treatment needed if necessary

SECTION 5. FIRE-FIGHTING MEASURES

5.1 Suitable Extinguishing Media Use:

The preparation is not readily flammable, use fire-extinguishing media suitable for surrounding materials

5.2 Specific Hazard arising from the chemical

When heated in the case of fire, harmful or toxic gases may be produced

5.3 Special protective actions for fire fighters

Self contained breathing apparatus and full protective clothing must be worn

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions, protective equipment and emergency procedures

a. The wearing of suitable protective equipment (including personal protective equipment, see section 8 of this SDS) to prevent any contamination of skin, eyes and personal clothing.

b. Provide sufficient ventilation.

c. Follow precautions for safe handling described in section 7 of this SDS.

6.2 Environmental Precautions

Spillages of uncontrolled discharges into watercourses must be Immediately alerted to the Environmental Agency or other appropriate regulatory body, without endangering individuals every effort should be made to prevent entrance to drains. 6.3 Methods and material for containment and clean up

Drains should be Bunded or capped to prevent entrance or damage. Ventilate well. Brush or vacuum up taking care not to create excessive dust. Place in suitable containers. Dilute area with copious amounts of water.

#### SECTION 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid Spilling, skin and eye contact.

Do Not Smoke In Work Area! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes contaminated. Promptly remove any clothing that becomes contaminated. When using, do not eat, drink or smoke. 7.2 Conditions for safe Storage, including incompatibilities

Keep containers tightly closed. Keep in original containers. Do not allow product to freeze, avoid extreme temperatures

7.3 Specific end use(s)

The identified use for this product is detailed in section 1.2.

## SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters			
Name	STD	Long Term	Notes

	4
FP241	

Sodium Carbonate	DNELs	10mg/m3			
Sodium Metasilicate	DNELs	1.55mg/m3			Inhalation
	WEL	TWA – 8 Hrs		STEL – 15 Min	
SUBTILISIN		0,00004 mg/m3			
WEL= Workplace Exposure Lin	nit				•
8.2 Appropriate engineering c	ontrols				
Provide adequate ventilation					
8.3 Individual protection meas	sures, such a	s personal protect	ve equipment (P	PE)	
Respiratory Equipment	If ventilation is in sufficient, suitable respiratory protection must be provided.				
Hand Protection	PVC gloves are recommended.				
Eye Protection	Ware approved safety goggles.				
Other Protection	Wear rubber apron, ware rubber footwear.				

Protective Equipment



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

This Product is a	Mixture		
Appearance	Granular Powder		
Colour	White with coloured s	speckles	
Odour	Pleasant		
Solubility	Soluble in water		
pH value	9.5-10	Solubility	Soluble in Water
Relative Density	1.1		
9.2 Other information	I		

SECTION 10. STABILITY AND REACTIVITY
10.1 Reactivity
None known
10.2 Chemical stability
Stable under normal conditions and use.
10.3 Possibility of hazardous reactions
None known
10.4 Conditions to avoid
Avoid excessive heat for prolonged periods of time
10.5 Incompatible materials
10.6 Hazardous decomposition products
When heated toxic and corrosive vapours may be formed

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Toxicological information

We have not carried out any animal testing; therefore we have no toxicological data specifically for this product. The toxicological data, where provided by the raw material manufacture, can be made available on request.

### SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity

We have not carried out any Aquatic testing; therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity data, where provided by the raw material manufacturer for the ingredients with aquatic toxicity can be provided on request

12.2 Persistence and degradability		
Degradability: the surfactants used in this preparation are designed for disposal via normal foul water disposal methods		
12.3 Bioaccumulative potential		
This preparation does not contain any substance that is expected to be bioaccumlating		
12.4 Mobility in soil		
Not Known		
12.5 Results of PBT and vPvB		
This preparation does not contain and PBT or vPvB substances		
12.6 Other adverse effects		

Not Known

### SECTION 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

The preparation is designed for disposal via foul drain after use. Large volumes to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local waste disposal authority. Clean used container and recycle.

SECTION 14. TRANSPORT INFORMATION

Not classified as hazardous for transport

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific to the substance or mixture

Guidance notes: Workplace Exposure Limits EH40

EU Legislation: Safety Data sheets prepared in accordance with REACH Commission Regulation (EU) No 453/2010 and CHIP Directive 1999/45/EEC Classification, Packaging & Labelling of dangerous preparations. Ingredients are listed with classification under both CHIP – Directive 67/548/EEC and GHS / CLP – Regulation (EC) No 1272/2008 classification, ADR 2013

15.2 Chemical Safety Assessment

Not applicable this product is a mixture

### SECTION 16. OTHER INFORMATION

Generated       6 <sup>th</sup> February 2015         SDS No.       C2/452         SDS Status       OK         Approved       Yes         Notes       This information relates only to the specific material designed and may not be valid for such material us in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.         Risk phrases in full       R8 – Contact with combustible materials may cause fire         R22 – Harmful if swallowed       R34 – Causes burns         R36/R38 – Irritating to eyes and skin       R37 – Irritating to espiratory system         R38 – Irritating to skin       R41 – Risk of serious damage to eyes         R43 – May cause sensitisation by skin contact       Hazard statements in full         H272 – May intensify fire       H290 – May be corrosive to metals         H302 – Harmful if swallowed       H314 – Causes servere skin burns and eye damage         H314 – Causes serious eye damage       H314 – Causes servere skin burns and eye damage         H318 – Causes serious eye damage       H319 – Causes serious eye irritation         H318 – Causes serious eye irritation       H318 – Causes serious eye irritation         H		
SDS No.       C2/452         SDS Status       OK         Approved       Yes         Notes       This information relates only to the specific material designed and may not be valid for such material us in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.         Risk phrases in full       R8 – Contact with combustible materials may cause fire R22 – Harmful if swallowed R34 – Causes burns R36/R38 – Irritating to eyes and skin R37 – Irritating to respiratory system R38 – Irritating to respiratory system R38 – Irritating to skin R41 – Risk of serious damage to eyes R43 – May cause sensitisation by skin contact         Hazard statements in full       H272 – May intensify fire H290 – May be corrosive to metals H302 – Harmful if swallowed H314 – Causes severe skin burns and eye damage H315 – Causes skin irritation H318 – Causes serious eye damage H315 – Causes serious eye damage H319 – Causes serious eye irritation H335 – May cause respiratory         Supplementary       Supplementary	REV. No. REPL. SDS	1/0
SDS Status       OK         Approved       Yes         Notes       This information relates only to the specific material designed and may not be valid for such material us in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.         Risk phrases in full       R8 – Contact with combustible materials may cause fire         R22 – Harmful if swallowed       R34 – Causes burns         R36/R38 – Irritating to respiratory system       R38 – Irritating to skin         R41 – Risk of serious damage to eyes       R43 – May cause sensitisation by skin contact         Hazard statements in full       H272 – May intensify fire         H220 – Harmful if swallowed       H314 – Causes severe skin burns and eye damage         H315 – Causes serious eye damage       H318 – Causes serious eye damage         H316 – Causes serious eye damage       H319 – Causes serious eye irritation         H318 – Causes serious eye damage       H319 – Causes serious eye irritation         H325 – May cause respiratory       Supplementary	Generated	6 <sup>th</sup> February 2015
Approved       Yes         Notes       This information relates only to the specific material designed and may not be valid for such material us in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.         Risk phrases in full       R8 – Contact with combustible materials may cause fire         R22 – Harmful if swallowed       R34 – Causes burns         R36/R38 – Irritating to eyes and skin       R37 – Irritating to respiratory system         R38 – Irritating to skin       R41 – Risk of serious damage to eyes         R43 – May cause sensitisation by skin contact       H220 – May thensify fire         H220 – May be corrosive to metals       H302 – Harmful if swallowed         H314 – Causes skin irritation       H314 – Causes serious eye damage         H315 – Causes skin irritation       H318 – Causes serious eye damage         H316 – Causes serious eye irritation       H335 – May cause respiratory         Supplementary       Supplementary	SDS No.	C2/452
NotesThis information relates only to the specific material designed and may not be valid for such material us in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.Risk phrases in fullR8 – Contact with combustible materials may cause fire R22 – Harmful if swallowed R34 – Causes burns R36/R38 – Irritating to eyes and skin R37 – Irritating to respiratory system R38 – May cause sensitisation by skin contactHazard statements in fullH272 – May intensify fire H290 – May be corrosive to metals H302 – Harmful if swallowed H314 – Causes severe skin burns and eye damage H315 – Causes serious eye damage H315 – Causes serious eye irritation H318 – Causes serious eye irritation H318 – Causes serious eye irritation H315 – Causes serious eye irritation H316 – Causes serious eye irritation H317 – May cause respiratorySupplementary	SDS Status	ОК
in combination with any other materials or in any process. Such information is to the best of the company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.Risk phrases in fullR8 - Contact with combustible materials may cause fire R22 - Harmful if swallowed R34 - Causes burns R36/R38 - Irritating to eyes and skin R37 - Irritating to respiratory system R38 - Irritating to skin R41 - Risk of serious damage to eyes R43 - May cause sensitisation by skin contactHazard statements in fullH272 - May intensify fire H290 - May be corrosive to metals H314 - Causes severe skin burns and eye damage H315 - Causes serious eye irritation H318 - Causes serious eye irritationSupplementarySupplementary	Approved	Yes
Risk phrases in fullR8 – Contact with combustible materials may cause fire R22 – Harmful if swallowed R34 – Causes burns R36/R38 – Irritating to eyes and skin R37 – Irritating to respiratory system R38 – Irritating to respiratory system R38 – Irritating to skin R41 – Risk of serious damage to eyes R43 – May cause sensitisation by skin contactHazard statements in fullH272 – May intensify fire H290 – May be corrosive to metals H302 – Harmful if swallowed H314 – Causes severe skin burns and eye damage H315 – Causes serious eye damage H318 – Causes serious eye irritation H318 – Cause serious eye irritation H318 – Cause serious eye irritation H318 – Cause serious eye irritation H335 – May cause respiratory	Notes	company's knowledge and belief, accurate and reliable as of date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's
H290 – May be corrosive to metals         H302 – Harmful if swallowed         H314 – Causes severe skin burns and eye damage         H315 – Causes skin irritation         H318 – Causes serious eye damage         H319 – Causes serious eye irritation         H319 – Causes serious eye irritation         H335 – May cause respiratory	Risk phrases in full	R8 – Contact with combustible materials may cause fire R22 – Harmful if swallowed R34 – Causes burns R36/R38 – Irritating to eyes and skin R37 – Irritating to respiratory system R38 – Irritating to skin R41 – Risk of serious damage to eyes
	Hazard statements in full	<ul> <li>H290 – May be corrosive to metals</li> <li>H302 – Harmful if swallowed</li> <li>H314 – Causes severe skin burns and eye damage</li> <li>H315 – Causes skin irritation</li> <li>H318 – Causes serious eye damage</li> <li>H319 – Causes serious eye irritation</li> </ul>
P- Statements	Supplementary P- Statements	

