

BIOTEK ODOUR MASK
Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier: **BIOTEK ODOUR MASK**
 Substance type: CLP Mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Use of the Substance/Mixture : CLEANER

Recommended restrictions on use : Reserved for industrial and professional use.

1.3 Details of the supplier of the safety data sheet:

COMPANY IDENTIFICATION
 Ecolab Ltd.
 PO Box 11; Winnington Avenue
 Northwich, Cheshire,, CW8 4DX, United Kingdom
 TEL: + 44 (0)1606 74488

LOCAL COMPANY IDENTIFICATION
 Ecolab Ltd.
 PO Box 11; Winnington Avenue
 Northwich, Cheshire,, CW8 4DX, United Kingdom
 TEL: + 44 (0)1606 74488

For Product Safety information please contact: msdseame@nalco.com

1.4 Emergency telephone number:

Emergency telephone number : Trans-European
 +441618841235
 +32-(0)3-575-5555 Trans-European Address European
 Economic Area HQ

Date of Compilation/Revision: 01.07.2019
 Version Number: 1.0

Section: 2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard Statements : H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**
 P273 Avoid release to the environment.

Special labelling of certain mixtures : Contains: 6-Octen-1-ol, 3,7-dimethyl- May produce an allergic reaction.

2.3 Other hazards

None known.

BIOTEK ODOUR MASK**Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS****3.2 Mixtures****Hazardous components**

Chemical Name	CAS-No. EC-No. REACH No.	Classification (REGULATION (EC) No 1272/2008)	Concentration: [%]
Alcohols, C12-15, ethoxylated	68131-39-5 01-2119488720-33	Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 3; H412	2.5 - < 5
Phenethyl Alcohol	60-12-8 200-456-2 01-2119963921-31	Acute toxicity Category 4; H312 Eye irritation Category 2; H319 Reproductive toxicity Category 2; H361d	0.5 - < 1
Benzyl-(C12-C16 Alkyl)- Dimethyl-Ammonium Chloride	68424-85-1 270-325-2	Acute toxicity Category 4; H302 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410	0.25 - < 0.5
6-Octen-1-ol, 3,7-dimethyl-	106-22-9 203-375-0 01-2119453995-23	Skin irritation Category 2; H315 Eye irritation Category 2; H319 Skin sensitization Sub-category 1B; H317	0.1 - < 0.25
Substances with a workplace exposure limit :			
1-Methoxy-2-Propanol	107-98-2 203-539-1 01-2119457435-35	Flammable liquids Category 3; H226 Specific target organ toxicity - single exposure Category 3; H336	1 - < 2.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES**4.1 Description of first aid measures**

- If inhaled : Get medical attention if symptoms occur.
- In case of skin contact : Wash off with soap and plenty of water.
Get medical attention if symptoms occur.
- In case of eye contact : Rinse with plenty of water.
Get medical attention if symptoms occur.
- If swallowed : Rinse mouth.
Get medical attention if symptoms occur.
- Protection of first-aiders : In event of emergency assess the danger before taking action.
Do not put yourself at risk of injury. If in doubt, contact
emergency responders. Use personal protective equipment as
required.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

BIOTEK ODOUR MASK

Section: 5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Not flammable or combustible.

Hazardous combustion products : Depending on combustion properties, decomposition products may include following materials:
Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus

5.3 Advice for firefighters

Special protective equipment for firefighters : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or explosion do not breathe fumes.

Section: 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel : Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so.
Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
Flush away traces with water.
For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

6.4 Reference to other sections

See Section 1 for emergency contact information.

BIOTEK ODOUR MASK

For personal protection see section 8.
See Section 13 for additional waste treatment information.

Section: 7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

- Advice on safe handling : Wash hands thoroughly after handling. Use only with adequate ventilation.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Keep out of reach of children. Keep container tightly closed. Store in suitable labelled containers.
- Suitable material : Keep in properly labelled containers.
- Unsuitable material : not determined

7.3 Specific end uses

- Specific use(s) : CLEANER

Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
1-Methoxy-2-Propanol	107-98-2	OELV - 8 hrs (TWA)	100 ppm 375 mg/m ³	IR_OEL
Further information	Sk	Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		
	IOEL V	Indicative Occupational Exposure Limit Value		
		OELV - 15 min (STEL)	150 ppm 568 mg/m ³	IR_OEL
Further information	Sk	Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body		
	IOEL V	Indicative Occupational Exposure Limit Value		

DNEL

6-Octen-1-ol, 3,7-dimethyl-	:	End Use: Workers Exposure routes: Dermal Potential health effects: long term - systemic 45.8 mg/kg
	:	End Use: Workers Exposure routes: Inhalation Potential health effects: long term - systemic Value: 161.8 mg/m ³

BIOTEK ODOUR MASK

		End Use: Workers Exposure routes: Dermal Potential health effects: long-term - local Value: 29.5 mg/cm ²
1-Methoxy-2-Propanol	:	End Use: Workers Exposure routes: Inhalation Potential health effects: short-term - local Value: 553.5 mg/m ³
		End Use: Workers Exposure routes: Dermal Potential health effects: long term - systemic
		End Use: Workers Exposure routes: Inhalation Potential health effects: long term - systemic Value: 369 mg/m ³

PNEC

6-Octen-1-ol, 3,7-dimethyl-	:	Fresh water Value: 0.0024 mg/l
		Marine water Value: 0.00024 mg/l
		Intermittent release Value: 0.024 mg/l
		STP Value: 580 mg/l
		Fresh water sediment Value: 0.0256 mg/kg
		Marine sediment Value: 0.00256 mg/kg
		Soil Value: 0.00371 mg/kg
1-Methoxy-2-Propanol	:	Fresh water Value: 10 mg/l
		Marine water Value: 1 mg/l
		Intermittent release Value: 100 mg/l
		STP Value: 100 mg/l
		Fresh water sediment Value: 52.3 mg/kg
		Marine sediment Value: 5.2 mg/kg
		Soil Value: 5.49 mg/kg

BIOTEK ODOUR MASK

8.2 Exposure controls

Appropriate engineering controls

Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection (EN 14605) : Wear suitable protective clothing.

Respiratory protection (EN 143, 14387) : When respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization, consider the use of certified respiratory protection equipment meeting EU requirements (89/656/EEC, (EU) 2016/425), or equivalent, with filter type: A-P

Environmental exposure controls

General advice : Consider the provision of containment around storage vessels.

Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear, green

Odour : characteristic

Flash point : > 100 °C

pH : 6 - 7.5, 4 %
(20 °C)

Odour Threshold : no data available

Melting point/freezing point : no data available

Initial boiling point and boiling range : no data available

Evaporation rate : no data available

Flammability (solid, gas) : no data available

Upper explosion limit : no data available

BIOTEK ODOUR MASK

Lower explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Relative density	: 0.980 - 1.010
Solubility(ies)	
Water solubility	: soluble in cold water, soluble in hot water
Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Auto-ignition temperature	: no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: no data available
Viscosity, kinematic	: no data available
Explosive properties	: no data available
Oxidizing properties	: no data available

9.2 Other information

no data available

Section: 10. STABILITY AND REACTIVITY

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

10.6 Hazardous decomposition products

Hazardous decomposition products : Depending on combustion properties, decomposition products may include following materials:
Carbon oxides
nitrogen oxides (NO_x)
Sulphur oxides
Oxides of phosphorus

Section: 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

BIOTEK ODOUR MASK

Information on likely routes of exposure : Inhalation, Eye contact, Skin contact

Toxicity

Product

Acute oral toxicity : There is no data available for this product.

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye irritation : There is no data available for this product.

Respiratory or skin sensitization : There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Alcohols, C12-15, ethoxylated
LD50 rat: > 5,000 mg/kg

Phenethyl Alcohol
LD50 rat: 2,125 mg/kg

Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride
LD50 rat: 344 mg/kg

6-Octen-1-ol, 3,7-dimethyl-
LD50 rat: 3,450 mg/kg

1-Methoxy-2-Propanol
LD50 rat: > 5,000 mg/kg
LD50 rat: 4,016 mg/kg

Components

BIOTEK ODOUR MASK

Acute inhalation toxicity : 1-Methoxy-2-Propanol
LC50 rat: 27.3 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Components

Acute dermal toxicity : Alcohols, C12-15, ethoxylated
LD50 rat: > 2,000 mg/kg
Phenethyl Alcohol
LD50 rabbit: 1,670.5 mg/kg
Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride
LD50 rabbit: 3,340 mg/kg
6-Octen-1-ol, 3,7-dimethyl-
LD50 rabbit: 2,650 mg/kg
1-Methoxy-2-Propanol
LD50 rabbit: > 13,000 mg/kg LD50 rat: > 2000

Potential Health Effects

Eyes : Health injuries are not known or expected under normal use.
Skin : Health injuries are not known or expected under normal use.
Ingestion : Health injuries are not known or expected under normal use.
Inhalation : Health injuries are not known or expected under normal use.
Chronic Exposure : Health injuries are not known or expected under normal use.

Experience with human exposure

Eye contact : No symptoms known or expected.
Skin contact : No symptoms known or expected.
Ingestion : No symptoms known or expected.
Inhalation : No symptoms known or expected.

Further information : no data available

Section: 12. ECOLOGICAL INFORMATION

12.1 Ecotoxicity

Product

Environmental Effects : Harmful to aquatic life with long lasting effects.
Toxicity to fish : no data available
Toxicity to daphnia and other : no data available

BIOTEK ODOUR MASK

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Alcohols, C12-15, ethoxylated
96 h LC50 Pimephales promelas (fathead minnow): 1.4 mg/l

Phenethyl Alcohol
96 h LC50 Fish: 215 mg/l

1-Methoxy-2-Propanol
96 h LC50 Fish: > 1,000 mg/l
96 h LC50 Rainbow Trout: >= 1,000 mg/l
Method: OECD 203

Components

Toxicity to daphnia and other aquatic invertebrates : Alcohols, C12-15, ethoxylated
48 h EC50 Daphnia magna (Water flea): 0.14 mg/l

Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride
48 h EC50 Daphnia magna (Water flea): 0.016 mg/l

1-Methoxy-2-Propanol
48 h LC50 Daphnia magna: 21,100 - 25,900 mg/l
Method: Other guidelines

Components

Toxicity to algae : Alcohols, C12-15, ethoxylated
72 h EC50 Pseudokirchneriella subcapitata (green algae): 0.75 mg/l

1-Methoxy-2-Propanol
7 d EC50 Green Algae (Pseudokirchneriella subcapitata, previously Selenastrum capricornutum): > 1,000 mg/l
Method: Other guidelines

Components

Toxicity to bacteria : 1-Methoxy-2-Propanol
3 h IC50 Sewage Microorganisms: > 1,000 mg/l
Method: OECD 209

Components

Toxicity to fish (Chronic toxicity) : Alcohols, C12-15, ethoxylated
10 d NOEC Pimephales promelas (fathead minnow): 0.16 mg/l

Components

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : Alcohols, C12-15, ethoxylated
21 d NOEC Daphnia magna (Water flea): 0.77 mg/l

BIOTEK ODOUR MASK

12.2 Persistence and degradability

Product

no data available

Components

Biodegradability : Alcohols, C12-15, ethoxylated
Result: Readily biodegradable.

Phenethyl Alcohol
Result: Readily biodegradable.

Benzyl-(C12-C16 Alkyl)-Dimethyl-Ammonium Chloride
Result: Biodegradable

6-Octen-1-ol, 3,7-dimethyl-
Result: Readily biodegradable.

1-Methoxy-2-Propanol
Result: Readily biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

Product

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.
Dispose of wastes in an approved waste disposal facility.

BIOTEK ODOUR MASK

- Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.
- Guidance for Waste Code selection : Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

- 14.1 UN number: Not applicable.
14.2 UN proper shipping name: PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es): Not applicable.
14.4 Packing group: Not applicable.
14.5 Environmental hazards: No
14.6 Special precautions for user: Not applicable.

Air transport (IATA)

- 14.1 UN number: Not applicable.
14.2 UN proper shipping name: PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es): Not applicable.
14.4 Packing group: Not applicable.
14.5 Environmental hazards: No
14.6 Special precautions for user: Not applicable.

Sea transport (IMDG/IMO)

- 14.1 UN number: Not applicable.
14.2 UN proper shipping name: PRODUCT IS NOT REGULATED DURING TRANSPORTATION
14.3 Transport hazard class(es): Not applicable.
14.4 Packing group: Not applicable.
14.5 Environmental hazards: No
14.6 Special precautions for user: Not applicable.
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code: Not applicable.

Section: 15. REGULATORY INFORMATION

BIOTEK ODOUR MASK**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:****INTERNATIONAL CHEMICAL CONTROL LAWS****15.2 Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out on the product.

Section: 16. OTHER INFORMATION**Procedure used to derive the classification according to REGULATION (EC) No 1272/2008**

Classification	Justification
Chronic aquatic toxicity 3, H412	Calculation method

Full text of H-Statements

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN – European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR – European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS – Australian Inventory of Chemical Substances; ASTM – American Society for the Testing of Materials; bw – Body weight; CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR – Carcinogen, Mutagen or Reproductive Toxicant; DIN – Standard of the German Institute for Standardisation; DSL – Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx – Concentration associated with x% response; ELx – Loading rate associated with x% response; EmS – Emergency Schedule; ENCS – Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS – Globally Harmonized System; GLP – Good Laboratory Practice; IARC – International Agency for Research on Cancer; IATA – International Air Transport Association; IBC – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 – Half maximal inhibitory concentration; ICAO – International Civil Aviation Organization; IECSC – Inventory of Existing Chemical Substances in China; IMDG – International Maritime Dangerous Goods; IMO – International Maritime Organization; ISHL – Industrial Safety and Health Law (Japan); ISO – International Organisation for Standardization; KECI – Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL – International Convention for the Prevention of Pollution from Ships; n.o.s. – Not Otherwise Specified; NO(A)EC – No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR – No Observable Effect Loading Rate; NZIoC – New Zealand Inventory of Chemicals; OECD – Organization for Economic Co-operation and Development; OPPTS – Office of Chemical Safety and Pollution Prevention; PBT – Persistent, Bioaccumulative and Toxic substance; PICCS – Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH – Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID – Regulations concerning the International Carriage of

BIOTEK ODOUR MASK

Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA – Toxic Substances Control Act (United States); UN – United Nations; vPvB – Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet : IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man, Geneva: World Health Organization, International Agency for Research on Cancer.

The possible key literature references and data sources which may have been used in conjunction with the consideration of expert judgment to compile this Safety Data Sheet: European regulations/directives (including (EC) No. 1907/2006, (EC) No. 1272/2008), supplier data, inter-net, ESIS, IUCLID, ERICards, Non European official regulatory data and other data sources.

Prepared By : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.