

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Issue 2T Revision 21 April 2015

Quickstrip

1.1 Product Identifier Product Name Quickstrip

Product Codes 1349

1.2 Relevant identified uses of the substance or mixture and uses advised against

1 Identification of the substance/mixture and of the company undertaking

Identified Uses of the substance/mixture Vehicle Cleaner. Professional Use.

Uses advised against None Identified

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor RP Adam Ltd (Arpal Group) Tel. +44 (0) 1750 23780

North Riverside Business Park, Fax. +44 (0) 1750 21506 Riverside Road, email salesinfo@rpadam.co.uk

Selkirk, TD7 5DU United Kingdom

1.4 Emergency Telephone Number

National Advisory Body/Poison Centre

Tel. National Poison Information Service 0870 243 2241 (UK Only)

(0870 600 6266 Medical Professionals Only – UK Only)

Manufacturer/ Distributor/ Importer

Telephone number: + 44 (0)1750 21586

2 Hazards Identification

2.1 Classification of Substance or mixture

Product Definition Mixture

Classification according to Directive 1999/45/EC [DPD]

Classification Xi Irritant

Human Health Hazards R36/38 Irritating to eyes and skin

Classification according to Regulation (EC) No. 1272/2008

Physical Hazards Met Corr 1 – H290 Human Health Hazards Skin Corr 1 – H314

Environmental Hazards None

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

2.2 Label Elements

Label Elements (In Accordance With Directive 1999/45/EC [DPD])

Hazard Symbol(s)

×

Indication of danger IRRITANT

Risk Phrases R36/38 Irritating to eyes and skin

Safety Phrases S26 In case of contact with eyes, rinse immediately with plenty of water and

seek medical advice.

S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

Label Elements (In Accordance With (EC) No. 1272/2008)

Pictogram(s)



Signal Word Danger

Contains Sodium Hydroxide, Disodium Metasilicate and 2-Aminoethanol

Hazard Statements H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage.

Precautionary statements Prevention P280 Wear protective gloves, protective clothing, and eye or face

protection

Response P303 + P361 + IF ON SKIN (or hair): Remove immediately all contaminated

P353 clothing. Rinse skin with water.

P305 + P351 + IF IN EYES: Rinse cautiously with water for several minutes. Remove

P338 contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor P390 Absorb spillage to avoid material damage

2.3 Other hazards

Other hazards which do not result in classification Not applicable

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

3 Composition/Information on Ingredients

3.2 Mixtures

Product/Ingredient Name	Identifiers Reach No/CAS/EC No	%	Classification		
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
Disodium Metasilicate	01-2119449811-37/	1-5	C; R34	Met. Corr. 1 (H290)	1
	6834-92-0/ 229-912-9		Xi; R37	Skin Corr. 1B (H314) Eye Damage 1 (H318)	
Trisodium nitrilotriacetate	01-2119519239-36/ 5064-31-3/ 225-768-6	1-5	Xn; R22, R36, R40	Carc 2 (H351) Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	1
Sodium Xylenesulphonate	01-2119513350-56/ 1300-72-7/ 215-090-9	1-5	Xi; R36	Eye Irrit. 2 (H319)	1
Sodium Hydroxide	01-2119457892-27/ 1310-73-2/ 215-185-5	0.1-1	C: R35	Skin Corr 1A (H314)	1, 2
2-Aminoethanol	01-2119486455-28/ 141-43-5/ 205-483-3	5-15	C; R34 Xn; R20/21/22	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr.1B (H314) STOT Single 3 (H335)	12
2-Butoxyethanol	01-2119475108-36/ 111-76-2/ 203-905-0	5-15	Xn; R20/21/22 Xi; R36/38	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319)	12

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Type

- 1 Substance classified with a health or environmental hazard
- 2 Substance with a workplace exposure limit
- 3 Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- 4 Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

4 First aid measures

4.1 Description of first aid measures

Eye Contact Rinse immediately with copious amounts of water for at least 10 minutes, holding the

eyelids open. If irritation occurs obtain medical advice.

Inhalation Remove from source of exposure. Seek medical advice if symptoms persist. Exposure by

inhalation in unlikely in normal use.

Skin Contact Flush contaminated area with running water for 10 minutes, remove any contaminated

clothing and launder before re-use. If irritation persists or there is any sign of skin damage

seek medical advice.

Ingestion If conscious, remove product from mouth, give casualty a small quantity of water or milk

to drink and seek medical advice. Do not induce vomiting

Protection of First Aider Wear PPE if appropriate (Refer to section 8.2)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Severe burns and irritation are most likely symptoms when there is exposure to skin, eyes and respiratory system. Not considered to cause sensitization. Further important symptoms and effects are so far not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat according to symptoms (decontamination, vital functions). Toxicological information on components, where available, in given in section 11.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

5 Fire fighting measures

5.1 Extinguishing media

Extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog

Unsuitable extinguishing media None known

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous combustion products

During fire toxic gases, CO and CO₂ are formed

5.3 Advice for fire-fighters

Special precautions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if

there is a fire. No action shall be taken involving any personal risk or without suitable

training.

Special protective equipment for fire-

fighters

Fire-fighters should wear self-contained breathing apparatus and suitable personal

protective equipment as appropriate to the surrounding fire.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray/mist. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater. Contain contaminated water/fire fighting water.

6.3 Methods and material for containment and cleaning up

Small spill: Dilute with water and mop up if water-soluble or absorb with an inert dry material and

place in an appropriate waste disposal container.

Large spill Prevent entry into sewers, water courses, basements or confined areas. Contain and

collect spillage with non-combustible, absorbent material e.g. dry sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations

(see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment.

See Section 13 for additional waste treatment information.

7 Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with the skin, eyes and clothing. Contaminated surfaces may be extremely slippery. Clean up spillages. Do not allow to dry. Do not eat, drink or smoke in area where material is used or stored.

7.2 Conditions for safe storage, including any incompatibilities

Protect against heat. Store in original labelled containers. Keep container tightly closed, upright and in a cool place. Keep away from acids. Protect from freezing.

7.3 Specific end use(s)

Recommendations Not specific advice available.

Industrial sector specific solutions Not applicable.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name Exposure limit values

Sodium hydroxide EH40 (United Kingdom): STEL: 2mg/m³ (15 minutes)

2-Aminoethanol WEL (Skin Contact) TWA - 8 hrs 1ppm 2.5 mgm⁻³ STEL – 15 min 8 hrs 1ppm 2.5 mgm⁻³

2-Butoxyethanol WEL TWA (8hr) 25ppm STEL (15min) 50ppm

Derived effect levels

No DNELs available for the mixture **Predicted effect concentrations**No PNECs available for the mixture.

8.2 Exposure controls

Process conditions Provide eye-wash stations

Engineering Measures Where possible this product should be used via a dispenser to avoid splashes and contact

with the skin. Wear appropriate PPE if contact is possible when changing flasks. If airborne vapours or mists are generated provide adequate general and local exhaust ventilation to

keep exposure below any statutory limits.

Personal Protective Equipment

Respiratory protection: Not needed in normal use. If vapour/aerosol is created use particle filter with medium

efficiency for solid and liquid particles (e.g. EN 143 or 14387)

Hand protection Wear chemical resistant protective gloves (EN 374)

Review condition of gloves when in use, especially for wear, cuts and breakthrough after

prolonged contact.

Eye protection Not needed in normal use. Wear tightly fitting safety goggles (splash goggles) (e.g. EN 166)

if splashing is likely to occur

Body protection: Wear chemical resistant clothing and boots if exposure/splashing may occur. Other body

protection may be suitable depending on activity and possible exposure, e.g. apron,

chemical-protection suit (meeting EN 14605).

General safety and hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

9 Physical & chemical properties

9.1 Information on basic physical and chemical properties

Physical state Liquid.

Colour Clear, Colourless. Odour Product specific.

Odour threshold Not determined for the mixture.

pH value 20 Deg C 12.5-13.5

Melting point/Freezing point Not determined for the mixture. Initial boiling point and boiling range Not determined for the mixture.

Flash point >100 deg C

Evaporation rate Not determined for the mixture.

Flammability (solid, gas) Not flammable.

Burning time Not determined for the mixture. Burning rate Not determined for the mixture. Upper/lower flammability or explosive Not determined for the mixture.

limits

Vapour pressure Not determined for the mixture.

Relative density 1.050-1.070

Solubility(ies) Readily soluble in cold and hot water Partition coefficient: n-octanol/water Not determined for the mixture. Not determined for the mixture. Auto ignition temperature Decomposition temperature Not determined for the mixture. Viscocity Not determined for the mixture.

Explosive properties Not explosive Oxidising properties None

9.2 Other Information

No further relevant information available

10 Stability and Reactivity

No specific test data related to reactivity available for this product or its ingredients. 10.1 Reactivity

10.2 Chemical Stability Stable mixture under normal conditions or storage and use. 10.3 Possibility of hazardous Hazardous reactions will not occur in normal storage conditions.

reactions

10.4 Conditions to avoid None known in normal storage conditions.

10.5 Incompatible materials Will react with acids.

10.6 Hazardous decomposition Under normal conditions of storage and use, hazardous decomposition products should

not be produced. products

11 Toxicology

11.1 Information on toxicological effects

Toxicological data for this mixture is not available as animal toxicity studies have not been carried out. Toxicological data for the raw materials is, where provided by the manufacturer, available on request.

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

12 Ecological information

12.1 Toxicity

Ecological Toxicity data for this mixture is not available as ecological toxicity studies have not been carried out. Ecological Toxicity data for the raw materials is, where provided by the manufacturer, available on request.

12.2 Persistence and degradability

Conclusion/Summary Any surfactants contained in the product are biodegradable according to the

requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

Conclusion/Summary Not determined for the mixture.

12.4 Mobility in soil

Soil/water partition coefficient (KOC) Not determined for the mixture.

Mobility Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT Not applicable.

vPvB Not applicable.

12.6 Other adverse effects No known significant effects or critical hazards.

13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.

EWC Code 20 01 29* - detergents containing dangerous substances

Empty packaging recommendation: Dispose of observing national or local regulations. (Can be cleaned with water)

EWC Code 20 01 39

14: Transport information

ADR/RID ADN/ADNR IMDG IATA

14.1 UN number UN 3266

14.2 UN proper shipping name Corrosive liquid, basic, inorganic, n.o.s. (Contains Disodium Trioxosilicate Sodium

Hydroxide and 2-Aminoethanol)

14.3 Transport hazard class(es):

CORROSIVE

Not Applicable

14.4 Packing group

14.5 Environmental hazardsNone14.6 Special precautions for userNone known

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the

IBCCode

Other relevant information (ADR)

Tunnel Code 3

Transport Category 3

15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients according to EC Detergents Regulation 648/2004

<5% Anionic Surfactants

NTA (nitriloacetic acid) and salts

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Quickstrip

Issue 2T Revision 21 April 2015

16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Reason for revision: Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3

R34 Causes burns

R37 Irritating to respiratory system

R22 Harmful if swallowed
R36 Irritating to eyes

R40 Limited evidence of a carcinogenic effect

R35 Causes severe burns

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed

R36/38 Irritating to eyes and skin

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage
H351 Suspected of causing cancer

H302 Harmful if swallowed

H319 Causes serious eye irritation
H312 Harmful in contact with skin

H332 Harmful if inhaled

H335 May cause respiratory irritation

H315 Causes skin irritation

Abbreviations and acronyms

ATE Acute Toxicity Estimate

CLP Classification, Labelling and Packaging Regulation [Regulation (EC)

No.1272/2008]

DNEL Derived No Effect Level

EUH statement CLP-specific Hazard statement

N/A Not Applicable

PNEC Predicted No Effect Concentration

REACH No REACH registration number, without supplier specific part