

Safety Data Sheet

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Printing Date 04 February 2016

Brilliant Prodet

Issue 2T
Revision 13 May 2015

1 Identification of the substance/mixture and of the company undertaking

1.1 Product Identifier

Product Name Brilliant Prodet
Product Codes 1209

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Uses of the substance/mixture Laundry Detergent. Professional Use.
Uses advised against Uses other than those identified are not recommended

1.3 Details of the supplier of the safety data sheet

Manufacturer/Distributor RP Adam Ltd (Arpal Group) Tel. +44 (0) 1750 23780
North Riverside Business Park, Fax. +44 (0) 1750 21506
Riverside Road, email salesinfo@rpadam.co.uk
Selkirk, TD7 5DU
United Kingdom

1.4 Emergency Telephone Number

National Advisory Body/Poison Centre
Tel. National Poison Information Service 0870 243 2241 (UK Only)
(0870 600 6266 Medical Professionals Only – UK Only)
Manufacturer/ Distributor/ Importer
Telephone number: + 44 (0)1750 21586

2 Hazards Identification

2.1 Classification of Substance or mixture

Product Definition Mixture

Classification according to Directive 1999/45/EC [DPD]

Classification C Corrosive
Human Health Hazards R34 Causes burns

Classification according to Regulation (EC) No. 1272/2008

Physical Hazards Met Corr 1 – H290
Human Health Hazards Skin Corr 1 – H314
Environmental Hazards None

Safety Data Sheet

Page 2 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

2.2 Label Elements

Hazard Symbol(s)



Indication of danger

CORROSIVE

Risk Phrases

R34 Causes burns

Safety Phrases

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible)
S36/37/39 Wear suitable protective clothing, gloves and eye/face protection

Label Elements (In Accordance With (EC) No. 1272/2008)

Pictogram(s)



Signal Word

Danger

Contains Silicic Acid, Sodium Salt & Potassium Hydroxide

Hazard Statements

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage.

Precautionary statements

Prevention

P280 Wear protective gloves, protective clothing, and eye or face protection

Response

P303 + P361 + P353 IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTRE or doctor
P390 Absorb spillage to avoid material damage

2.3 Other hazards

Other hazards which do not result in classification

Not applicable

Safety Data Sheet

Page 3 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

3 Composition/Information on Ingredients

3.2 Mixtures

Product/Ingredient Name	Identifiers Reach No/CAS/EC No	%	Classification		Type
			67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
Potassium Cocoate	Not Available/ 61789-30-8/ 263-049-9	5-15	Xi; R36	Eye Irrit. 2 (H319)	1
Sodium Xylenesulphonate	01-2119513350-56/ 1300-72-7/ 215-090-9	5-15	Xi; R36	Eye Irrit. 2 (H319)	1
Benzenesulfonic acid, C10-13-alkyl derivs., potassium salts	Not Available/ 84961-78-4/ 284-669-6	5-15	Xn; R22 Xi; R38 R41	Acute Tox 4 (H302) Eye Irrit. 2 (H319) Skin Irrit 2 (H315) Aquatic Chronic 3 (H412)	1
B-Alanine, N-coco alkyl derivs, sodium salts	Not Available/ 68608-68-4/ 271-795-1	5-15	Xi; R36	Eye Irrit. 2 (H319)	1
Trisodium nitrilotriacetate	01-2119519239-36/ 5064-31-3/ 225-768-6	1-5	Xn; R22, R36, R40	Carc 2 (H351) Acute Tox. 4 (H302) Eye Irrit. 2 (H319)	1
Silicic Acid, Sodium Salt	01-2119448725-31/ 1344-09-8/ 215-687-4	5-15	C; R34 Xi; R37	Met. Corr. 1 (H290) Skin Corr. 1B (H314) Eye Damage 1 (H318)	1
Potassium Hydroxide	01-2119487136-33/ 1310-58-3 / 215-181-3	1-5	C; R35, R22	Skin Corr. 1A (H314) Met. Corr. 1 (H290) Acute Tox. 4 (H302)	1, 2
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	01-2119490061-47/ 308062-28-4/ 931-292-6	1-5	Xn; R22 Xi; R38 R41 N; R50	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Damage 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	1
Propan-2-ol	01-2119457558-25/ 67-63-0/ 200-661-7	1-5	F; R11 Xi; R36 R67	Flam. Liquid 2 (H225) Eye Irrit. 2 (H319) STOT Single Exp 3 (H336)	1 2

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

- Type
- 1 Substance classified with a health or environmental hazard
 - 2 Substance with a workplace exposure limit
 - 3 Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
 - 4 Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

Occupational exposure limits, if available, are listed in Section 8.

Safety Data Sheet

Page 4 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

4 First aid measures

4.1 Description of first aid measures

Eye Contact	Get medical attention immediately. Rinse opened eye for at least 15 minutes with plenty of water. Check for and remove contact lenses. Any chemical burns must be treated promptly by a doctor
Inhalation	Remove from source of exposure. Supply fresh air. Get medical attention immediately
Skin Contact	Immediately wash thoroughly with plenty of water. Remove all contaminated clothing. Continue to rinse for 15 minutes. Apply sterile dressings if required. Consult a skin specialist in the event of irritation or burns.
Ingestion	Immediately rinse mouth and ask person to slowly sip 200-300 ml of water or milk. Stop if person shows signs of vomiting. Seek medical attention immediately. Do not induce vomiting.
Protection of First Aider	Wear PPE if appropriate (Refer to section 8.2)

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Severe burns and irritation are most likely symptoms when there is exposure to skin, eyes and respiratory system. Not considered to cause sensitization. Further important symptoms and effects are so far not known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

Treat according to symptoms (decontamination, vital functions). Toxicological information on components, where available, is given in section 11.

5 Fire fighting measures

5.1 Extinguishing media

Extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog
Unsuitable extinguishing media	None known

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	During fire toxic gases, CO and CO ₂ are formed

5.3 Advice for fire-fighters

Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear self-contained breathing apparatus and suitable personal protective equipment as appropriate to the surrounding fire.

6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray/mist. Avoid contact with the skin, eyes and clothing. Use personal protective clothing. Information regarding personal protective measures see, section 8.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Small spill:	Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container.
Large spill	Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. dry sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

See Section 1 for emergency contact information.
See Section 8 for information on appropriate personal protective equipment.
See Section 13 for additional waste treatment information.

Safety Data Sheet

Page 5 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

7 Handling and storage

7.1 Precautions for safe handling

Keep container tightly closed. Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid contact with the skin, eyes and clothing. Contaminated surfaces may be extremely slippery. Clean up spillages. Do not allow to dry. Do not eat, drink or smoke in area where material is used or stored.

7.2 Conditions for safe storage, including any incompatibilities

Protect against heat. Store in original labelled containers. Keep container tightly closed, upright and in a cool place. Keep away from acids. Protect from freezing.

7.3 Specific end use(s)

Recommendations	Not specific advice available.
Industrial sector specific solutions	Not applicable.

8 Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient name

Potassium hydroxide

Propan-2-ol

Exposure limit values

EH40 (United Kingdom): STEL: 2mg/m³ (15 minutes)

WEL TWA – 8 hrs 400ppm 900 mgm⁻³ STEL - 15 Mins 500ppm 1250 mgm⁻³

Derived effect levels

No DNELs available for the mixture

Predicted effect concentrations

No PNECs available for the mixture.

8.2 Exposure controls

Process conditions

Provide eye-wash stations

Engineering Measures

The concentrated product is intended to be used via a dosing system to avoid splashes and contact with the skin. Wear appropriate PPE if contact is possible when connecting to dosing system. If airborne vapours or mists are generated provide adequate general and local exhaust ventilation to keep exposure below any statutory limits.

Personal Protective Equipment

Respiratory protection:

Not needed in normal use. If vapour/aerosol is created use particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 14387)

Hand protection

Wear chemical resistant protective gloves (EN 374)

Review condition of gloves when in use, especially for wear, cuts and breakthrough after prolonged contact.

Butyl rubber gloves are recommended for prolonged contact (Breakthrough: 4-6hrs)

Nitrile rubber suggested for short contact or splash protection (Breakthrough: 30-60 min)

Consult with a supplier of protective gloves for further information or for other tasks.

Eye protection

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Wear chemical resistant clothing and boots if exposure/splashing may occur. Other body protection may be suitable depending on activity and possible exposure, e.g. apron, chemical-protection suit (meeting EN 14605).

General safety and hygiene measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Safety Data Sheet

Page 6 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

9 Physical & chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Viscous Liquid.
Colour	Clear, Straw
Odour	Product specific.
Odour threshold	Not determined for the mixture.
pH value 20 Deg C	12.5-14.0
Melting point/Freezing point	Not determined for the mixture.
Initial boiling point and boiling range	Not determined for the mixture.
Flash point	>100 deg C
Evaporation rate	Not determined for the mixture.
Flammability (solid, gas)	Not flammable.
Burning time	Not determined for the mixture.
Burning rate	Not determined for the mixture.
Upper/lower flammability or explosive limits	Not determined for the mixture.
Vapour pressure	Not determined for the mixture.
Relative density	1.165-1.190
Solubility(ies)	Readily soluble in cold and hot water
Partition coefficient: n-octanol/water	Not determined for the mixture.
Auto ignition temperature	Not determined for the mixture.
Decomposition temperature	Not determined for the mixture.
Viscosity	Not determined for the mixture.
Explosive properties	Not explosive
Oxidising properties	None

9.2 Other Information

No further relevant information available

10 Stability and Reactivity

10.1 Reactivity	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical Stability	Stable mixture under normal conditions or storage and use.
10.3 Possibility of hazardous reactions	Hazardous reactions will not occur in normal storage conditions.
10.4 Conditions to avoid	None known in normal storage conditions.
10.5 Incompatible materials	Will react with acids.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicology

11.1 Information on toxicological effects

Toxicological data for this mixture is not available as animal toxicity studies have not been carried out. Toxicological data for the raw materials is, where provided by the manufacturer, available on request.

Safety Data Sheet

Page 7 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

12 Ecological information

12.1 Toxicity

Ecological Toxicity data for this mixture is not available as ecological toxicity studies have not been carried out. Ecological Toxicity data for the raw materials is, where provided by the manufacturer, available on request.

12.2 Persistence and degradability

Conclusion/Summary

Any surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC

12.3 Bioaccumulative potential

Conclusion/Summary

Not determined for the mixture.

12.4 Mobility in soil

Soil/water partition coefficient (KOC)

Not determined for the mixture.

Mobility

Not determined for the mixture.

12.5 Results of PBT and vPvB assessment

PBT

Not applicable.

vPvB

Not applicable.

12.6 Other adverse effects

No known significant effects or critical hazards.

13: Disposal considerations

13.1 Waste treatment methods


Waste from residues / unused products

Dispose of in compliance with all Federal, state, provincial, and local laws and regulations.
EWC Code 20 01 29* - detergents containing dangerous substances

Empty packaging recommendation:

Dispose of observing national or local regulations. (Can be cleaned with water)
EWC Code 20 01 39

14: Transport information

	ADR/RID	ADN/ADNR	IMDG	IATA
14.1 UN number		3266		
14.2 UN proper shipping name	Corrosive liquid, basic, inorganic, n.o.s. (Contains Potassium Hydroxide and Sodium Silicate)			
14.3 Transport hazard class(es):				
14.4 Packing group		III		
14.5 Environmental hazards		None		
14.6 Special precautions for user		None known		
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBCCode			Product not transported bulk tanker	
Other relevant information (ADR)	Not required			

15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients according to EC Detergents Regulation 648/2004

5-15%	Anionic surfactants
<5	Non-Ionic surfactants
	NTA (nitriloacetic acid) and salts

Contains

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

Safety Data Sheet

Page 8 of 8

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II (453/2010) - Europe

Brilliant Prodet

Issue 2T
Revision 13 May 2015

16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Reason for revision: Overall design adjusted in accordance with Regulation (EC) No 1907/2006, Annex II

Full text of the R, H and EUH phrases mentioned in section 3

R36	Irritating to eyes
R22	Harmful if swallowed
R38	Irritating to skin
R41	Risk of serious damage to eyes
R40	Limited evidence of a carcinogenic effect
R34	Causes burns
R37	Irritating to respiratory system
R35	Causes severe burns
R50	Very toxic to aquatic organisms.
R11	Highly flammable
R67	Vapours may cause drowsiness and dizziness
H319	Causes serious eye irritation
H302	Harmful if swallowed
H315	Causes skin irritation
H412	May cause long lasting harmful effects to aquatic life
H351	Suspected of causing cancer
H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H400	Very toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
H225	Highly flammable liquid and vapour
H336	May cause drowsiness or dizziness

Abbreviations and acronyms

ATE	Acute Toxicity Estimate
CLP	Classification, Labelling and Packaging Regulation [Regulation (EC) No.1272/2008]
DNEL	Derived No Effect Level
EUH statement	CLP-specific Hazard statement
PNEC	Predicted No Effect Concentration
REACH No	REACH registration number, without supplier specific part