

# MATERIAL SAFETY DATA SHEET

<b>Burn Jel</b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

PRODUCT AND COMPANY INFORMATION – SECTION 1	
<b>Manufacturer/Distributor</b>	Water-Jel Technologies
	50 Broad Street
	Carlstadt, NJ 07072
	201-507-8300
	800-275-3433
<b>Product Name:</b>	<b>Burn Jel</b>
<b>Synonyms:</b>	Burn Treatment, Burn Gel
<b>Intended Use:</b>	First aid to help prevent infection and for the temporary relief of pain due to minor burns. For external use only.

<b>FOR CHEMICAL EMERGENCY, SPILL, LEAK,          FIRE, EXPOSURE, OR ACCIDENT:</b>
<b>In the continental U.S.: 800-275-3433          For additional information: 201-507-8300</b>

COMPOSITION INFORMATION – SECTION 2	
In accordance with 29 CFR § 1910.1200 (i) (1) the specific chemical identity of this product is being withheld as a trade secret.	
<b>Chemical Name:</b>	Lidocaine HCl
<b>Percent:</b>	Proprietary
<b>CAS Number:</b>	6108-05-0
<b>Exposure Limits:</b>	None Established
<b>Chemical Name:</b>	Tea Tree Oil
<b>Percent:</b>	Proprietary
<b>CAS Number:</b>	68647-73-4
<b>Exposure Limits:</b>	None Established
<b>Chemical Name:</b>	Glycerin USP
<b>Percent:</b>	Proprietary
<b>CAS Number:</b>	56-81-5
<b>Exposure Limits:</b>	None Established
<b>Chemical Name:</b>	Germaben II
<b>Percent:</b>	Proprietary
<b>CAS Number:</b>	Not Established
<b>Exposure Limits:</b>	None Established
<b>Chemical Name:</b>	Triethanolamine
<b>Percent:</b>	Proprietary
<b>CAS Number:</b>	102-71-6
<b>Exposure Limits:</b>	None Established

# MATERIAL SAFETY DATA SHEET

<b>Burn Jel</b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

HAZARDS IDENTIFICATION – SECTION 3	
<b>EMERGENCY OVERVIEW &amp; HAZARDS PRESENT TO MAN AND THE ENVIRONMENT</b>	Acute effects are possible irritation and discomfort; chronic effects are possible with the ingestion of large amounts to the nervous system. Do not use on abraded skin.
<b>PRIMARY ROUTES OF EXPOSURE</b>	Ingestion, Eyes
<b>POTENTIAL HEALTH EFFECTS:</b>	
<b>Eyes:</b>	May cause mild irritation.
<b>Skin:</b>	Prolonged skin contact may cause mild irritation.
<b>Inhalation:</b>	N/A
<b>Ingestion:</b>	Swallowing small amounts is not likely cause injury.
<b>MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:</b>	Pre-existing skin or eye disorders may become aggravated through prolonged exposure.

<b>CHRONIC HEALTH EFFECTS:</b>	
<b>Eyes:</b>	Prolonged skin contact may cause moderate irritation.
<b>Skin:</b>	Prolonged skin contact may cause moderate irritation.
<b>Inhalation:</b>	N/A
<b>Ingestion:</b>	Swallowing large amount may cause injury.

FIRST AID MEASURES – SECTION 4	
<b>SEEK MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE.</b>	
<b>FIRST AID MEASURES:</b>	
<b>Eyes:</b>	Flush eyes with clear running water for a minimum of fifteen (15) minutes while holding eyelids open; if irritation persists, seek medical attention.
<b>Skin:</b>	Flush with clear running water for a minimum of fifteen (15) minutes; if irritation persists, seek medical attention.
<b>Inhalation:</b>	N/A
<b>Ingestion:</b>	DO NOT induce vomiting; seek immediate medical attention.
<b>Instructions for Physician:</b>	Treat symptomatically. Refer to individual constituents.

FIRE FIGHTING MEASURES – SECTION 5			
<i>NFPA Classification</i>			
<u>Health</u>	<u>Fire</u>	<u>Reactivity</u>	<u>Other</u>
1	0	0	N/A

# MATERIAL SAFETY DATA SHEET

<b><i>Burn Jel</i></b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

<b><u>FLAMMABILITY PROPERTIES</u></b>			
<b>Flash Point:</b>	N/A	<b>Method:</b>	N/A
<b>Flammability Limits:</b> (in air % by volume)	<b>LEL:</b>	N/A	<b>UEL:</b> N/A
<b><u>Autoignition Temperature:</u></b>			
N/A			
<b><u>Hazardous Combustion Products:</u></b>			
No Information available.			
<b><u>Extinguishing Media:</u></b>			
Water, water spray, dry chemicals, chemical foam, CO			
<b><u>Prohibited Extinguishing Media:</u></b>			
No information available.			
<b><u>Firefighting Instructions:</u></b>			
DO NOT enter confined fire space without full bunker gear (Helmet with face shield, bunker coats, gloves and rubber boots. Wear NIOSH/MSHA approved self-contained breathing apparatus. Cool fire exposed containers with water.			
<b><u>Unusual Fire and Explosion Hazards:</u></b>			
No information available.			

<b>ACCIDENTAL RELEASE MEASURES – SECTION 6</b>	
<b><u>Environmental Precautions:</u></b>	
No information available.	
<b><u>Cleanup Methods:</u></b>	
<u>Small spills:</u> Small spills may be flushed with large amounts of water.	
<u>Large spills:</u> Large spills should be collected with approved absorbent and disposed in an appropriate container.	

<b>HANDLING &amp; STORAGE – SECTION 7</b>	
<b>Handling:</b>	Keep container(s) tightly closed when not in use.
<b>Storage:</b>	Keep container(s) tightly closed when not in use. Store in a cool, dry area.

# MATERIAL SAFETY DATA SHEET

<b>Burn Jel</b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

<b>Specific Uses:</b>	Water based spray meeting ANSI Standard for burn treatment. Contains Lidocaine HCl (2%) for relief of minor burns. For external use only.
-----------------------	---

<b>EXPOSURE CONTROLS / PERSONAL PROTECTION – SECTION 8</b>		
<b><u>EXPOSURE CONTROLS:</u></b>		
<b><u>Exposure Limits Values:</u></b>		
	<b><u>OSHA PEL:</u></b>	<b><u>ACGIH TLV:</u></b>
Lidocaine HCl	Not Established	Not Established
<b><u>Engineering Controls:</u></b>		
No information available.		
<b><u>PERSONAL PROTECTIVE EQUIPMENT:</u></b>		
<b><u>Respiratory Protection:</u></b>		
None required.		
<b><u>Hand Protection:</u></b>		
None required.		
<b><u>Eye/Face Protection:</u></b>		
None required.		
<b><u>Skin Protection:</u></b>		
Replace with PPE information.		
<b><u>General Hygiene Considerations:</u></b>		
Practice safe work habits. Use according to label instructions.		
<b><u>Other Protective Equipment:</u></b>		
No information available.		

<b>PHYSICAL &amp; CHEMICAL PROPERTIES – SECTION 9</b>	
<b>PRODUCT:</b>	<b>Burn Jel</b>
<b><u>General Information:</u></b>	
Appearance	Opaque, white, homogeneous gel
Odor	Medicinal, Slight Tea Tree Oil Scent
<b><u>Important Health, Safety, and Environmental Information:</u></b>	
Boiling Point	212°F
Melting Point	No information available.
Flash Point	No information available.
Explosive Properties	No information available.

# MATERIAL SAFETY DATA SHEET

<b>Burn Jel</b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

Oxidizing Properties	No information available.
Specific Gravity ( $H_2O = 1$ )	0.997
Water Solubility	Complete
Partition Coefficient ( <i>n</i> -octanol/water)	No information available.
Viscosity	No information available.
Vapor Pressure ( <i>mm</i> Hg)	No information available.
Vapor Density ( <i>Air = 1</i> )	No information available.
Evaporation Rate	No information available.
% Volatile ( <i>By Volume @ 68°F</i> )	No information available.

STABILITY & REACTIVITY – SECTION 10
<p><b><u>Stability:</u></b></p> <p>This material is stable under normal conditions.</p>
<p><b><u>Conditions to avoid:</u></b></p> <p>Extreme Temperatures.</p>
<p><b><u>Materials to avoid:</u></b></p> <p>Strong oxidizing agents.</p>
<p><b><u>Hazardous Decomposition Products:</u></b></p> <p>Decomposition will not occur if handled and stored properly. Thermal decomposition may produce carbon monoxide, small amounts of nitrogen oxides, halogenated compounds or propionaldehyde.</p>
<p><b><u>Hazardous Polymerization:</u></b></p> <p>Will not occur.</p>

TOXICOLOGICAL INFORMATION – SECTION 11				
<u>Type of Test</u>	<u>Route of Exposure</u>	<u>Effects</u>	<u>Species Observed</u>	<u>Dose Data</u>
No information available.				

ECOLOGICAL INFORMATION – SECTION 12
<p><b><u>Ecotoxicity:</u></b></p> <p>No information available.</p>
<p><b><u>Mobility:</u></b></p> <p>No information available.</p>

# MATERIAL SAFETY DATA SHEET

<b>Burn Jel</b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

<b><u>Persistence and Degradability:</u></b>
No information available.
<b><u>Bio accumulative Potential:</u></b>
No information available.

<b>DISPOSAL CONSIDERATION – SECTION 13</b>
Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to “40 CFR Protection of Environment Parts 260-299” for complete waste disposal regulations. Consult your Local, State or Federal Environmental Protection Agency before disposing of any chemicals.

<b>TRANSPORT INFORMATION – SECTION 14</b>	
<b><u>DOT CLASSIFICATION:</u></b>	
<b>UN Number:</b>	Not Regulated for Transportation.
<b>Class:</b>	
<b>Proper Shipping Name:</b>	
<b>Packing Group:</b>	
<b>Marine Pollutant:</b>	
<b>Other Information:</b>	
<b><u>IATA CLASSIFICATION:</u></b>	
<b>Un Number:</b>	Not Regulated for International Air Transportation.
<b>Class:</b>	
<b>Proper Shipping Name:</b>	
<b>Packing Group:</b>	
<b>Marine Pollutant:</b>	
<b>Other Information:</b>	
<b><u>IMDG CLASSIFICATION:</u></b>	
<b>Un Number:</b>	Not Regulated for International Water Transportation.
<b>Class:</b>	
<b>Proper Shipping Name:</b>	
<b>Packing Group:</b>	
<b>Marine Pollutant:</b>	
<b>Other Information:</b>	

# MATERIAL SAFETY DATA SHEET

<b><i>Burn Jel</i></b>	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

<b>REGULATORY INFORMATION – SECTION 15</b>	
<b><u>US REGULATIONS</u></b>	
<b>ACGIH</b>	Not Established
<b>CAA Section 112</b>	Not Listed
<b>CERCLA</b>	Not Listed
<b>IARC</b>	Not Listed
<b>NTP</b>	Not Listed
<b>OSHA</b>	Not Established
<b>SARA Title III</b>	Not Listed
<b>TSCA</b>	Not Listed
<b><u>STATE REGULATIONS</u></b>	
<b>MA substance List</b>	Not Listed
<b>NJ RTK Hazardous Substance List</b>	Not Listed
<b>PA Hazardous Substance List</b>	Not Listed
<b>Canadian WHMIS</b>	Not Listed

*To the best of our knowledge, the information contained herein is accurate. However, neither Water-Jel Technologies, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*