

30FMD120 } We do not have MSDS for these products.
 30FLG180 }
 30FBOT16 }
 30BCE16 }

CREST MEDICAL LIMITED

TECHNICAL FILE PART A			DOCUMENT REFERENCE: APPII.TXT		
PRODUCT RANGE: STERILE FIRST AID DRESSINGS					
APPROVED:			AUTHORISED:		
DATE:			DATE:		
ISSUE:	7	8	9		
DATE:	16/03/10	08/04/14	23/09/15		

APPENDIX II

EC DECLARATION OF CONFORMITY

Crest Medical Limited
 3, Chesford Grange,
 Woolston,
 Warrington,
 Cheshire.
 WA1 4RQ

declares that the medical device range described in Appendix V

STERILE FIRST AID DRESSINGS

is in conformity with the essential requirements and provisions of the Medical Device Directive 93/42/EEC and Statutory Instrument (SI) No. 2936 – 2008 that transposes the Directives into UK National Law,

is manufactured under the harmonised standard EN ISO 13485 and

is subject to the procedure set out in Annex VII plus Annex V (sterility aspects) of Directive 93/42/EEC under the supervision of Intertek AMTAC Certification services, Notified Body Number 0473.

Classification: Class 1 Sterile – Rationale Annex IX (93/42/EEC) – Rule 4 "All non-invasive devices which come into contact with injured skin are in class 1 if they are intended to be used as a mechanical barrier or absorption of exudates.

Warrington 23/09/15

Alastair Maxwell
 Managing Director

30 BNWT96 - We do not have MSDS for this product.

CREST MEDICAL LIMITED

TECHNICAL FILE PART A			DOCUMENT REFERENCE: APPII.TXT		
PRODUCT RANGE: BLUE DOT TRIANGULAR BANDAGES					
APPROVED:			AUTHORISED:		
DATE:			DATE:		
ISSUE:	4	5	6		
DATE:	16/03/10	13/03/14	15/06/15		

APPENDIX II

EC DECLARATION OF CONFORMITY

Crest Medical Limited
3, Chesford Grange,
Woolston,
Warrington,
Cheshire.
WA1 4RQ

declares that the medical device range described in Appendix V

BLUE DOT TRIANGULAR BANDAGE

is in conformity with the essential requirements and provisions of the Medical Device Directive 93/42/EEC and Statutory Instrument (SI) No. 2936 (2008) that transposes the Directive into UK National Law,

is manufactured under the harmonised standard EN ISO 13485 and

is subject to the procedure set out in Annex VII of Directive 93/42/EEC

Classification: Class 1: Non-Sterile – Rationale Annex IX (93/42/EEC) – Rule 1 "All non invasive devices are in class I unless one of the rules set out hereafter applies". No other rules apply.

Warrington 15/06/15

Alastair Maxwell
Managing Director

30 BMT025 - We do not have MSDS for this product.
2044425 + 204443



Crest Medical
suppliers to the medical industry

TECHNICAL FILE PART A			DOCUMENT REFERENCE: APPII.TXT		
PRODUCT RANGE: ADHESIVE TAPES					
APPROVED:			AUTHORISED:		
DATE: 8/9/2015			DATE: 8/9/2015		
ISSUE:	2	3	4	5	
DATE:	24/09/07	16/03/10	20/03/14	08/09/15	

APPENDIX II

EC DECLARATION OF CONFORMITY

Crest Medical Limited
3, Chesford Grange,
Woolston,
Warrington,
Cheshire.
WA1 4RQ

declares that the medical device range described in Appendix V

ADHESIVE TAPES

is in conformity with the essential requirements and provisions of the Medical Device Directive 93/42/EEC and Statutory Instrument (SI) No. 2936 (2008) that transposes the Directive into UK National Law,

is manufactured under the harmonised standard EN ISO 13485 and

is subject to the procedure set out in Annex VII of Directive 93/42/EEC.

Classification: Class 1 Non-Sterile – Rationale Annex IX, (93/42/EEC) – Rule 1 "All non-invasive devices which do not come into contact with injured skin are in class I unless one of the rules set out hereafter applies". No other rules apply.

Warrington 08/0915

Alastair Maxwell
Managing Director



30 BDC075 - We donot have MSDS for this product.
30 BDC010

CREST MEDICAL LTD.

TECHNICAL FILE PART A			DOCUMENT REFERENCE: APPII.TXT		
PRODUCT RANGE: CREST MEDICAL NON STERILE BANDAGES					
APPROVED:			AUTHORISED:		
DATE:			DATE:		
ISSUE:	6	7	8		
DATE:	30/04/13	14/04/14	1/10/15		

APPENDIX II

EC DECLARATION OF CONFORMITY

Crest Medical Limited
3, Chesford Grange,
Woolston,
Warrington,
Cheshire.
WA1 4RQ
United Kingdom

declares that the medical device range described in Appendix V

NON STERILE BANDAGES

is in conformity with the essential requirements and provisions of the Medical Device Directive 93/42/EEC and Statutory Instrument (SI) No. 2936 (2008) that transposes the Directive into the UK National Law,

is manufactured under the harmonised standard EN ISO 13485 and

is subject to the procedure set out in Annex VII of Directive 93/42/EEC.



Classification: Class 1: Non-Sterile – Rational Annex IX (93/42/EEC)- Rule 1 - Non-invasive device.

Warrington 1/10/15

.....
Alastair Maxwell
Managing Director

30PEWP10 Blue Dot Assorted WashProof Plasters
We do not have MSDS for this product

CREST MEDICAL LIMITED.

TECHNICAL FILE PART A			DOCUMENT REFERENCE: APPII.TXT		
PRODUCT RANGE: STERILE ADHESIVE PLASTERS					
APPROVED: 			AUTHORISED: 		
DATE: 24/8/2015			DATE: 24/8/2015		
ISSUE:	1	2	3		
DATE:	29/03/11	21/05/13	24/08/15		

APPENDIX II

EC DECLARATION OF CONFORMITY

Crest Medical Limited
3, Chesford Grange,
Woolston,
Warrington,
Cheshire.
WA1 4RQ

declares that the medical device range described in Appendix V

BLUE DOT STERILE ADHESIVE PLASTERS

is in conformity with the essential requirements and provisions of the Medical Device Directive 93/42/EEC and Statutory Instrument (SI) No.2936 (2008) that transposes the Directive into UK National Law

is manufactured under the national standard BS EN ISO 13485 transposing the harmonised standard EN ISO 13485 and

is subject to the procedure set out in Annex VII plus Annex V (sterility aspects) of Directive 93/42/EEC

Warrington 24/08/15


Alastair Maxwell
Managing Director

Technical Data Sheet For 30REVA01

Item	Technical Requirement
Material of film	ethylene-vinyl acetate copolymer
Thickness of film	0.11mm(±10%)
Size of film	20*20cm(±1cm)
Material of filter	polypropylene
Size for inlet port of filter	1.5cm(±0.2cm)
Diameter of outlet for filter	3.6cm*1.55cm
Appearance	Appearance should be complete, uniform color, should be neat and clean, no foreign objects



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

PRODUCT AND COMPANY INFORMATION – SECTION 1	
Manufacturer/Distributor	Water-Jel Technologies
	50 Broad Street
	Carlstadt, NJ 07072
	201-507-8300
	800-275-3433
Product Name:	Water-Jel Blankets and Burn Dressings
Synonyms:	Burn Treatment
Intended Use:	Water-Jel Blankets are non-sterile wool substrate with a fluid viscous gel, and Water-Jel sterile Burn Dressings are non-woven substrates with a fluid viscous gel. Products are intended for first aid treatment of burns to ease pain and to provide a barrier against contamination until medical assistance is provided. This MSDS is for the gel only. The woven and non-woven substrates do not require an MSDS. Blankets may be used for extinguishing small fires. Power source(s) should be turned off in the event of an electrical fire.

**FOR CHEMICAL EMERGENCY, SPILL, LEAK,
FIRE, EXPOSURE, OR ACCIDENT:**

In the continental U.S.: 800-275-3433
For additional information: 201-507-8300

COMPOSITION INFORMATION – SECTION 2	
In accordance with 29 CFR § 1910.1200 (i) (1) the specific chemical identity of this product is being withheld as a trade secret.	
Chemical Name:	Glycerin USP
Percent:	Proprietary
CAS Number:	56-81-5
Exposure Limits:	None Established
Chemical Name:	Germaben II
Percent:	Proprietary
CAS Number:	Not Established
Exposure Limits:	None Established

HAZARDS IDENTIFICATION – SECTION 3	
EMERGENCY OVERVIEW & HAZARDS PRESENT TO MAN AND THE ENVIRONMENT	Acute effects are possible irritation and discomfort; chronic effects are possible with the ingestion of large amounts.



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

PRIMARY ROUTES OF EXPOSURE	Ingestion, Eyes
POTENTIAL HEALTH EFFECTS:	
Eyes:	May cause mild irritation.
Skin:	Prolonged skin contact may cause mild irritation.
Inhalation:	N/A
Ingestion:	Swallowing small amounts is not likely cause injury.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	Pre-existing skin or eye disorders may become aggravated through prolonged exposure.

CHRONIC HEALTH EFFECTS:	
Eyes:	Prolonged skin contact may cause moderate irritation.
Skin:	Prolonged skin contact may cause moderate irritation.
Inhalation:	N/A
Ingestion:	Swallowing large amount may cause injury.

FIRST AID MEASURES – SECTION 4	
SEEK MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE.	
FIRST AID MEASURES:	
Eyes:	Flush eyes with clear running water for a minimum of fifteen (15) minutes while holding eyelids open; if irritation persists, seek medical attention.
Skin:	Flush with clear running water for a minimum of fifteen (15) minutes; if irritation persists, seek medical attention.
Inhalation:	N/A
Ingestion:	DO NOT induce vomiting; seek immediate medical attention.
Instructions for Physician:	Treat symptomatically. Refer to individual constituents.

FIRE FIGHTING MEASURES – SECTION 5			
NFPA Classification			
Health	Fire	Reactivity	Other
1	0	0	N/A
FLAMMABILITY PROPERTIES			
Flash Point:	N/A	Method:	N/A
Flammability Limits: (in air % by volume)	LEL:	N/A	UEL: N/A



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

<u>Autoignition Temperature:</u>
N/A
<u>Hazardous Combustion Products:</u>
No Information available.
<u>Extinguishing Media:</u>
N/A
<u>Prohibited Extinguishing Media:</u>
No information available.
<u>Firefighting Instructions:</u>
DO NOT enter confined fire space without full bunker gear (Helmet with face shield, bunker coats, gloves and rubber boots. Wear NIOSH/MSHA approved self-contained breathing apparatus. Cool fire exposed containers with water.
<u>Unusual Fire and Explosion Hazards:</u>
No information available.

ACCIDENTAL RELEASE MEASURES – SECTION 6
<u>Environmental Precautions:</u>
No information available.
<u>Cleanup Methods:</u>
<u>Small spills:</u> Small spills may be flushed with large amounts of water.
<u>Large spills:</u> Large spills should be collected with approved absorbent and disposed in an appropriate container.

HANDLING & STORAGE – SECTION 7	
Handling:	Keep container(s) tightly closed when not in use.
Storage:	Keep container(s) tightly closed when not in use. Store in a cool, dry area.
Specific Uses:	Water-Jel Blankets are non-sterile wool substrate with a fluid viscous gel, and Water-Jel sterile Burn Dressings are non-woven substrates with a fluid viscous gel. Products are intended for first aid treatment contamination until medical assistance is provided. This MSDS is for the gel only. The woven and non-woven substrates do not require an MSDS. Blankets may be used for extinguishing small fires. Power source(s) should be turned off in the event of an electrical fire.



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

EXPOSURE CONTROLS / PERSONAL PROTECTION – SECTION 8		
EXPOSURE CONTROLS:		
Exposure Limits Values:		
	OSHA PEL:	ACGIH TLV:
Cool Jel	Not Established	Not Established
Engineering Controls:		
No information available.		
PERSONAL PROTECTIVE EQUIPMENT:		
Respiratory Protection:		
None required.		
Hand Protection:		
None required.		
Eye/Face Protection:		
None required.		
Skin Protection:		
None required.		
General Hygiene Considerations:		
Practice safe work habits. Use according to label instructions.		
Other Protective Equipment:		
No information available.		

PHYSICAL & CHEMICAL PROPERTIES – SECTION 9	
PRODUCT:	Water-Jel Blankets and Burn Dressings
General Information:	
Appearance	Off white, translucent viscous gel
Odor	Medicinal, Slight Tea Tree Oil Scent
Important Health, Safety, and Environmental Information:	
Boiling Point	200°F
Melting Point	No information available.
Flash Point	No information available.
Explosive Properties	No information available.
Oxidizing Properties	No information available.
Specific Gravity ($H_2O = 1$)	1.01
Water Solubility	Complete
Partition Coefficient (<i>n</i> -octanol/water)	No information available.



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

Viscosity	No information available.
Vapor Pressure (mm Hg)	No information available.
Vapor Density (Air = 1)	No information available.
Evaporation Rate	No information available.
% Volatile (By Volume @ 68°F)	No information available.

STABILITY & REACTIVITY – SECTION 10

Stability:

This material is stable under normal conditions.

Conditions to avoid:

Extreme Temperatures.

Materials to avoid:

Strong oxidizing agents.

Hazardous Decomposition Products:

Decomposition will not occur if handled and stored properly. Thermal decomposition may produce carbon monoxide, small amounts of nitrogen oxides, halogenated compounds or propionaldehyde.

Hazardous Polymerization:

Will not occur.

TOXICOLOGICAL INFORMATION – SECTION 11

<u>Type of Test</u>	<u>Route of Exposure</u>	<u>Effects</u>	<u>Species Observed</u>	<u>Dose Data</u>
No information available.				

ECOLOGICAL INFORMATION – SECTION 12

Ecotoxicity:

No information available.

Mobility:

No information available.

Persistence and Degradability:

No information available.

Bio accumulative Potential:

No information available.

DISPOSAL CONSIDERATION – SECTION 13



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to "40 CFR Protection of Environment Parts 260-299" for complete waste disposal regulations. Consult your Local, State or Federal Environmental Protection Agency before disposing of any chemicals.

TRANSPORT INFORMATION – SECTION 14	
<u>DOT CLASSIFICATION:</u>	
UN Number:	Not Regulated for Domestic Transportation.
Class:	
Proper Shipping Name:	
Packing Group:	
Marine Pollutant:	
Other Information:	
<u>IATA CLASSIFICATION:</u>	
Un Number:	Not Regulated for International Air Transportation.
Class:	
Proper Shipping Name:	
Packing Group:	
Marine Pollutant:	
Other Information:	
<u>IMDG CLASSIFICATION:</u>	
Un Number:	Not Regulated for International Water Transportation.
Class:	
Proper Shipping Name:	
Packing Group:	
Marine Pollutant:	
Other Information:	

REGULATORY INFORMATION – SECTION 15	
<u>US REGULATIONS</u>	
ACGIH	Not Established
CAA Section 112	Not Listed
CERCLA	Not Listed
IARC	Not Listed
NTP	Not Listed
OSHA	Not Established



MATERIAL SAFETY DATA SHEET

Water-Jel Blankets and Burn Dressings	MSDS No.:	015
	Revision No.:	6
	Effective Date:	02/27/2012

SARA Title III	Not Listed
TSCA	Not Listed
<u>STATE REGULATIONS</u>	
MA substance List	Not Listed
NJ RTK Hazardous Substance List	Not Listed
PA Hazardous Substance List	Not Listed
Canadian WHMIS	Not Listed

To the best of our knowledge, the information contained herein is accurate. However, neither Water-Jel Technologies, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

PRODUCT AND COMPANY INFORMATION – SECTION 1

Manufacturer/Distributor	Water-Jel Technologies
	50 Broad Street
	Carlstadt, NJ 07072
	201-507-8300
	800-275-3433
Product Name:	Burn Jel
Synonyms:	Burn Treatment, Burn Gel
Intended Use:	First aid to help prevent infection and for the temporary relief of pain due to minor burns. For external use only.

**FOR CHEMICAL EMERGENCY, SPILL, LEAK,
FIRE, EXPOSURE, OR ACCIDENT:**

**In the continental U.S.: 800-275-3433
For additional information: 201-507-8300**

COMPOSITION INFORMATION – SECTION 2

In accordance with 29 CFR § 1910.1200 (i) (1) the specific chemical identity of this product is being withheld as a trade secret.

Chemical Name:	Lidocaine HCl
Percent:	Proprietary
CAS Number:	6108-05-0
Exposure Limits:	None Established
Chemical Name:	Tea Tree Oil
Percent:	Proprietary
CAS Number:	68647-73-4
Exposure Limits:	None Established
Chemical Name:	Glycerin USP
Percent:	Proprietary
CAS Number:	56-81-5
Exposure Limits:	None Established
Chemical Name:	Germaben II
Percent:	Proprietary
CAS Number:	Not Established
Exposure Limits:	None Established
Chemical Name:	Triethanolamine
Percent:	Proprietary
CAS Number:	102-71-6
Exposure Limits:	None Established

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

HAZARDS IDENTIFICATION – SECTION 3

EMERGENCY OVERVIEW & HAZARDS PRESENT TO MAN AND THE ENVIRONMENT	Acute effects are possible irritation and discomfort; chronic effects are possible with the ingestion of large amounts to the nervous system. Do not use on abraded skin.
PRIMARY ROUTES OF EXPOSURE	Ingestion, Eyes
<u>POTENTIAL HEALTH EFFECTS:</u>	
Eyes:	May cause mild irritation.
Skin:	Prolonged skin contact may cause mild irritation.
Inhalation:	N/A
Ingestion:	Swallowing small amounts is not likely cause injury.
MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:	Pre-existing skin or eye disorders may become aggravated through prolonged exposure.

CHRONIC HEALTH EFFECTS:

Eyes:	Prolonged skin contact may cause moderate irritation.
Skin:	Prolonged skin contact may cause moderate irritation.
Inhalation:	N/A
Ingestion:	Swallowing large amount may cause injury.

FIRST AID MEASURES – SECTION 4

SEEK MEDICAL ATTENTION FOR ALL CASES OF OVEREXPOSURE.

<u>FIRST AID MEASURES:</u>	
Eyes:	Flush eyes with clear running water for a minimum of fifteen (15) minutes while holding eyelids open; if irritation persists, seek medical attention.
Skin:	Flush with clear running water for a minimum of fifteen (15) minutes; if irritation persists, seek medical attention.
Inhalation:	N/A
Ingestion:	DO NOT induce vomiting; seek immediate medical attention.
Instructions for Physician:	Treat symptomatically. Refer to individual constituents.

FIRE FIGHTING MEASURES – SECTION 5

NFPA Classification

<u>Health</u>	<u>Fire</u>	<u>Reactivity</u>	<u>Other</u>
1	0	0	N/A

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

<u>FLAMMABILITY PROPERTIES</u>					
Flash Point:	N/A	Method:	N/A		
Flammability Limits: (in air % by volume)		LEL:	N/A	UEL:	N/A
<u>Autoignition Temperature:</u>					
N/A					
<u>Hazardous Combustion Products:</u>					
No Information available.					
<u>Extinguishing Media:</u>					
Water, water spray, dry chemicals, chemical foam, CO					
<u>Prohibited Extinguishing Media:</u>					
No information available.					
<u>Firefighting Instructions:</u>					
DO NOT enter confined fire space without full bunker gear (Helmet with face shield, bunker coats, gloves and rubber boots. Wear NIOSH/MSHA approved self-contained breathing apparatus. Cool fire exposed containers with water.					
<u>Unusual Fire and Explosion Hazards:</u>					
No information available.					

ACCIDENTAL RELEASE MEASURES – SECTION 6	
<u>Environmental Precautions:</u>	
No information available.	
<u>Cleanup Methods:</u>	
<u>Small spills:</u> Small spills may be flushed with large amounts of water.	
<u>Large spills:</u> Large spills should be collected with approved absorbent and disposed in an appropriate container.	

HANDLING & STORAGE – SECTION 7	
Handling:	Keep container(s) tightly closed when not in use.
Storage:	Keep container(s) tightly closed when not in use. Store in a cool, dry area.

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

Specific Uses:	Water based spray meeting ANSI Standard for burn treatment. Contains Lidocaine HCl (2%) for relief of minor burns. For external use only.
-----------------------	---

EXPOSURE CONTROLS / PERSONAL PROTECTION – SECTION 8		
<u>EXPOSURE CONTROLS:</u>		
<u>Exposure Limits Values:</u>		
	<u>OSHA PEL:</u>	<u>ACGIH TLV:</u>
Lidocaine HCl	Not Established	Not Established
<u>Engineering Controls:</u>		
No information available.		
<u>PERSONAL PROTECTIVE EQUIPMENT:</u>		
<u>Respiratory Protection:</u>		
None required.		
<u>Hand Protection:</u>		
None required.		
<u>Eye/Face Protection:</u>		
None required.		
<u>Skin Protection:</u>		
Replace with PPE information.		
<u>General Hygiene Considerations:</u>		
Practice safe work habits. Use according to label instructions.		
<u>Other Protective Equipment:</u>		
No information available.		

PHYSICAL & CHEMICAL PROPERTIES – SECTION 9	
PRODUCT:	Burn Jel
General Information:	
Appearance	Opaque, white, homogeneous gel
Odor	Medicinal, Slight Tea Tree Oil Scent
Important Health, Safety, and Environmental Information:	
Boiling Point	212°F
Melting Point	No information available.
Flash Point	No information available.
Explosive Properties	No information available.

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

Oxidizing Properties	No information available.
Specific Gravity ($H_2O = 1$)	0.997
Water Solubility	Complete
Partition Coefficient (<i>n</i> -octanol/water)	No information available.
Viscosity	No information available.
Vapor Pressure (mm Hg)	No information available.
Vapor Density (Air = 1)	No information available.
Evaporation Rate	No information available.
% Volatile (By Volume @ 68°F)	No information available.

STABILITY & REACTIVITY – SECTION 10

Stability:

This material is stable under normal conditions.

Conditions to avoid:

Extreme Temperatures.

Materials to avoid:

Strong oxidizing agents.

Hazardous Decomposition Products:

Decomposition will not occur if handled and stored properly. Thermal decomposition may produce carbon monoxide, small amounts of nitrogen oxides, halogenated compounds or propionaldehyde.

Hazardous Polymerization:

Will not occur.

TOXICOLOGICAL INFORMATION – SECTION 11

<u>Type of Test</u>	<u>Route of Exposure</u>	<u>Effects</u>	<u>Species Observed</u>	<u>Dose Data</u>
No information available.				

ECOLOGICAL INFORMATION – SECTION 12

Ecotoxicity:

No information available.

Mobility:

No information available.

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

Persistence and Degradability:

No information available.

Bio accumulative Potential:

No information available.

DISPOSAL CONSIDERATION – SECTION 13

Dispose of in accordance with Local, State, and Federal regulations. Products classified as non-hazardous may become hazardous waste upon contact with other products. Refer to “40 CFR Protection of Environment Parts 260-299” for complete waste disposal regulations. Consult your Local, State or Federal Environmental Protection Agency before disposing of any chemicals.

TRANSPORT INFORMATION – SECTION 14

DOT CLASSIFICATION:

UN Number:

Class:

Proper Shipping Name:

Packing Group:

Marine Pollutant:

Other Information:

Not Regulated for Transportation.

IATA CLASSIFICATION:

Un Number:

Class:

Proper Shipping Name:

Packing Group:

Marine Pollutant:

Other Information:

Not Regulated for International Air Transportation.

IMDG CLASSIFICATION:

Un Number:

Class:

Proper Shipping Name:

Packing Group:

Marine Pollutant:

Other Information:

Not Regulated for International Water Transportation.

MATERIAL SAFETY DATA SHEET

Burn Jel	MSDS No.:	003
	Revision No.:	5
	Effective Date	02/27/2012

REGULATORY INFORMATION – SECTION 15	
<u>US REGULATIONS</u>	
ACGIH	Not Established
CAA Section 112	Not Listed
CERCLA	Not Listed
IARC	Not Listed
NTP	Not Listed
OSHA	Not Established
SARA Title III	Not Listed
TSCA	Not Listed
<u>STATE REGULATIONS</u>	
MA substance List	Not Listed
NJ RTK Hazardous Substance List	Not Listed
PA Hazardous Substance List	Not Listed
Canadian WHMIS	Not Listed

To the best of our knowledge, the information contained herein is accurate. However, neither Water-Jel Technologies, nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.